sunbury design




Pelle Aquaclean












Pelle Mafia 3216


Pelle Roulette 3219

Pelle Caldron 3205

Pelle Link 3214



Pelle Chain 3206



Pelle Westside 3225



Pelle Gangster 3210

visit www.sunburydesign.com/collections/pelle to see images of these fabrics















Pelle Groove 3212




Pelle Supreme 3223







Pelle Stingray 3222



Pelle Arcade 3201



Pelle Lotus 3215



Pelle Azurite 3202







General Specification.

Quality.	Pelle Aquaclean
Composition.	48% P, 32% PAC, 10% N, 10% VC, halogen free FR treated
Weight.	632gsm / 18.64oz/yd ²
Durability.	100 000 rubs
Width.	140cm / 55in +/-
Flammability.	BS EN 1021-1, BS EN 1021-2,
	BS 7176 Medium Hazard (all over CMHR 35 foam)
	IMO Res. A652(16). FTP Code MSC 61(67) part 8
	CAL 117, NFPA 260
Application.	SUITABLE FOR SEVERE CONTRACT/HOSPITALITY UPHOLSTERY
Maintenance.	Pelle includes Aquaclean and Safe Front technology which is PFC FREE, please
	refer to our CARE GUIDE AQ for full care & cleaning details.
	Care guides available online or by request.
Environmental.	REACH compliant, halogen & PFC free, OEKO TEX Standard 100, OEKO TEX STeP,
	Zero waste certified, manufactured using 100% renewable electricity.
	In accordance with normal trade practice batch to batch variations may occur within commercial tolerances. Samples sl

In accordance with normal trade practice batch to batch variations may occur within commercial tolerances. Samples shown on this card are a guide and current production may differ marginally. We reserve the right to alter specifications without notice. FR testing is predictive and customers must ensure their complete furniture meets the necessary standards. All values and measurements are approximate



AQUACLEAN TECHNOLOGY ADVANCED UPHOLSTERY PROTECTION

The Aquaclean technology used in this fabric protects against spills and stains without resorting to specialist or chemical cleaning, 'simply clean with water'.

SafeFront protects this fabric against viruses and bacteria by reducing viral activity by over 91% after two hours of continuous contact.

See CARE GUIDE AQ for detailed care & cleaning available online or by request.



SUNBURY DESIGN Head Office & Showroom. Lewis & Co (Fabrics) Ltd, Sunbury House, Lovet Road, Harlow, Essex CM19 5TB United Kingdom Telephone +44 (0)1279 416060

Northern Branch Lewis & Co (Fabrics) Ltd. 5 Faraday Close, Pattinson North Ind. Est, Washington, Tyne & Wear NE38 8QA Telephone (0191) 419 2234

sales@sunburydesign.com
sunburydesign.com

